

SILICONE

HANDLES





SEPTEMBER 2026

HANDLE PRODUCTS

Product Index

B-style handles	pg 1
D-style handles	pg 1
E-style handles	pg 2
F-style handles	pg 2
H-style handle	pg 3
i-style handles	pg 3
K-style handles	pg 4
P-R-T-style handles	pg 5
Q-style handles	pg 6
AO quick connects	pg 8-11
1/4" square quick connects	pg 12-21
Hudson quick connects	pg 22-24
Mini Zimmer quick connects	pg 25
Zimmer quick connects	pg 26
Large AO quick connects	pg 26
WA quick connects	pg 26
Drill Chucks	pg 27
Mallets	pg 28
Rod Cutters	pg 30




NORTH GROVE ENTERPRISE

(508) 801-4599 WWW.NORTHGROVEENTERPRISE.COM

"B - D" style silicone grip handles

"B" Style Handles



-  RAL1016 | Yellow
-  RAL1006 | Maize
-  RAL2004 | Orange
-  RAL3000 | Red
-  RAL6010 | Green
-  RAL5015 | Light Blue
-  RAL5002 | Ultramarine Blue
-  RAL5010 | Dark Blue
-  RAL7031 | Grey
-  RAL9005 | Black

"D" Style Handles



“E - F” style silicone grip handles


“E” Style Handles



“F” Style Handles




“H - I” style silicone grip handles




-  RAL1016 | Yellow
-  RAL1006 | Maize
-  RAL2004 | Orange
-  RAL3000 | Red
-  RAL6010 | Green
-  RAL5015 | Light Blue
-  RAL5002 | Ultramarine Blue
-  RAL5010 | Dark Blue
-  RAL7031 | Grey
-  RAL9005 | Black


”I” Style Handles




"K" style silicone grip handles




OM13-0415
K45 Handle




OM 23-0295
K50 Handle
SS End Cap



OM 19-0710
K41 Stub Handle
SS End Cap



OM 29-0535
K41 Swirl Handle
SS End Cap



OM 10-0590
K40 Handle
SS End Cap



OM 10-0985
K40 Handle
SS End Cap - Cannulated

Colors


	Yellow RAL1016
	Maisgelb RAL1006
	Orange RAL2004
	Dark RAL3000
	Green RAL6010
	Light Blue RAL5015
	Ultramarine blue RAL5002
	Dark blue RAL5010
	Dark Grey RAL7031
	Black RAL9005




OM 13-0070
K41 Handle
SS End Cap




OM 13-0870
K41 Handle
SS End Cap
Cannulated



OM 16-0900
K41 Handle
SS End Cap



OM 17-0050
K41 Handle
SS End Cap
Cannulated



OM 14-0890
K48 Handle
SS End Cap


“P-R-T” style silicone grip handles

Colors

	Yellow RAL1016
	Maisgelb RAL1006
	Orange RAL2004
	Dark RAL3000
	Green RAL6010
	Light Blue RAL5015
	Ultramarine blue RAL5002
	Dark blue RAL5010
	Dark Grey RAL7031
	Black RAL9005



OM 31-0375



OM 29-0650


“P” Handle “R” Handle



OM 10-0190



OM 10-0469



OM 10-0555

“T” Handles



OM 10-0540



OM 14-0875

“Q” style silicone grip handles

Colors

Yellow	RAL1016
Maisgelb	RAL1006
Orange	RAL2004
Dark	RAL3000
Green	RAL6010
Light Blue	RAL5015
Ultramarine blue	RAL5002
Dark blue	RAL5010
Dark Grey	RAL7031
Black	RAL9005

OM 36-0495 Q29 Handle
1/4" Square Low Profile Connect
Ratcheting, Cannulated
132.5mm Length



Q38
OM 36-0480



Q29
OM 36-0060

Standard quick connect options



*EACH COUPLING MAY BE MATCHED WITH
ALMOST ANY HANDLE STYLE AND SIZE

*CHOOSE A FIXED HANDLE OR RATCHET DEVICE

*SOLID OR CANNULATED

*HANDLE COLOR



AO QUICK CONNECT



BIG AO



1/4" SQUARE



HUDSON



ZIMMER



DRILL CHUCK




WA




DENTAL




AO quick connect options




OM 12-0935 D17 Handle
AO Quick Connect
Ratcheting
148.7mm Length




OM 11-0800 D17 Handle
AO Quick Connect
Ratcheting
Rotating End Cap
154.54mm Length




OM 10-0690 D17 Handle
AO Quick Connect
Rotating End Cap
124.5mm Length



OM 11-0050 D20 Handle
AO Quick Connect
135.5mm Length




OM 14-0260 D20 Handle
AO Quick Connect
Ratcheting
164.8mm Length



OM 15-0430 D20 Handle
AO Quick Connect
Rotating End Cap
142.9mm Length


AO quick connect options




OM 15-0200 D23 Handle
AO Quick Connect
Torque Limiting 3Nm
168.4mm Length




OM 12-0330 D23 Handle
AO Quick Connect
152.5mm Length




OM 11-0145 D23 Handle
AO Quick Connect
Ratcheting, Cannulated
182.1mm Length



OM 15-0905 D23 Handle
AO Quick Connect
Ratcheting
186.1mm Length



OM 28-0290 D20 Handle
AO "No Play" Quick Connect
Rotating End Cap
148.4mm Length




OM 19-0035 D28 Handle
AO Quick Connect
Torque Limiting 2.5Nm
Cannulated
170.4mm Length


AO quick connect options



OM 17-0935 E20 Handle
AO Quick Connect
Torque Limiter 1.5Nm
142.5mm Length




OM 17-0583 E23 Handle
AO Quick Connect
Torque Limiter 2.0Nm
160.9mm Length




OM 18-0000
K40 Handle
AO Quick Connect
Torque Limit 2.5Nm
114.3mm Length




OM 19-0365
K40 Handle
AO Quick Connect
Torque Limit 0.8Nm
121mm Length



OM 18-0820
K41 Handle
AO Quick Connect
Ratcheting
141.07mm Length




OM 23-0495
K41 Handle
AO Quick Connect
Ratchet-Cannulated
99mm Length




OM 34-0225
K41 Stub Handle
Low Profile AO QC
Ratchet
75.2mm Length

AO quick connect options



OM 35-0940 Q29 Handle
Low Profile AO Quick Connect
Ratcheting, Cannulated
100.8mm Length



OM 37-0635 T23 Handle
AO Quick Connect
Ratchet-Low Profile Connect
92.4mm Length



OM12-0975 T19 Handle
AO Quick Connect
Ratchet-Cannulated
119.5mm Length



OM 12-0670 T23 Handle
AO Quick Connect
Ratchet-Cannulated
131mm Length

3 year warranty with no calibration required!




OM 14-0780 T23 Handle
AO Quick Connect
Torque Limiter 4Nm
131.4mm Length




OM 18-0590 T23 Handle
AO Quick Connect
Torque Limiter 2.83Nm
131.4mm Length

1/4" Square connect options




OM 10-0945 D23 Handle
1/4" Square Connect
149.4mm Length




OM 13-0770 D23 Handle
1/4" Square Connect
Ratcheting
166.9mm Length




OM 11-0130 D23 Handle
1/4" Square Connect
Ratcheting, Cannulated
165.1mm Length



OM 13-0880 D23 Handle
1/4" Square Connect
Ratcheting, Cannulated
165.6mm Length



OM 16-0555 D23 Handle
1/4" Square Connect
Ratcheting, Cannulated
165.1mm Length




OM 16-0375 D23 Handle
1/4" Square Connect
Torque Limit, 2Nm
167.4mm Length


1/4" Square connect options




OM 16-0945 D25 Handle
1/4" Square Connect
174.7mm Length




OM 15-0740 D28 Handle
1/4" Square Connect
Torque Limit 4.5Nm
158.1mm Length



OM 13-0875 D28 Handle
1/4" Square Connect
Cannulated
160.2mm Length



OM 13-0820 D28 Handle
1/4" Square Connect
Ratcheting, Cannulated
178.2mm Length




OM 13-0800 D28 Handle
1/4" Square Connect
Ratcheting
178.3mm Length


1/4" Square connect options

Colors


	Yellow RAL1016
	Maisgelb RAL1006
	Orange RAL2004
	Dark RAL3000
	Green RAL6010
	Light Blue RAL5015
	Ultramarine blue RAL5002
	Dark blue RAL5010
	Dark Grey RAL7031
	Black RAL9005



OM 18-0640 D29 Handle
1/4" Square Connect
271.9mm Length



OM 18-0760 D29 Handle
1/4" Square Connect
Ratcheting
289.9mm Length



OM 19-0025 D29 Handle
1/4" Square Connect
Cannulated
270.1mm Length



OM 19-0030 D29 Handle
1/4" Square Connect
Ratcheting, Cannulated
288.1mm Length

1/4" Square connect options



OM 21-0860 E20 Handle
1/4" Square Connect
Ratcheting, Cannulated
144.6mm Length

OM 17-0105 E23 Handle
1/4" Square Connect
141.9mm Length

OM 18-0635 E23 Handle
1/4" Square Connect
204.5mm Length

OM 17-0520 E23 Handle
1/4" Square Connect
Cannulated
129.35mm Length

OM 18-0295 E23 Handle
1/4" Square Connect
Ratcheting, Cannulated
158.7mm Length


OM 22-0455 E23 Handle
1/4" Square Connect
Ratcheting, Cannulated
158.7mm

OM 21-0980 E23 Handle
1/4" Square Connect
Torque Limit, 2Nm
159.9mm Length


1/4" Square connect options

Colors


	Yellow RAL1016
	Maisgelb RAL1006
	Orange RAL2004
	Dark RAL3000
	Green RAL6010
	Light Blue RAL5015
	Ultramarine blue RAL5002
	Dark blue RAL5010
	Dark Grey RAL7031
	Black RAL9005



OM 35-006 i28 Handle
1/4" Square Connect
Cannulated
173.6mm Length




OM 33-0995 i28 Handle
1/4" Square Connect
Ratcheting, Cannulated
171.9mm Length




OM 32-0995 i32 Handle
1/4" Square Connect
Ratchet, Cannulated
161.5mm Length


1/4" Square connect options




OM14-0185 K40 Handle
1/4" Square Connect
120.1mm Length




OM 14-0765 K40 Handle
1/4" Square Connect
Ratcheting, Cannulated
134.6mm Length




OM 19-0475 K40 Handle
1/4" Square Connect
Ratcheting
132.4mm Length



OM 25-0075
K41 Stub Handle
1/4" Square NP Connect
90.1mm Length



OM 29-0190
K41 Stub Handle
1/4" Square NP Connect
Ratchet, Cannulated
103.8mm Length



OM 19-0835
K41 Stub Handle
1/4" Square Connect
Ratchet, Cannulated
89.5mm Length




OM 37-0090
K41 Stub Handle
1/4" Square Connect
Ratchet, Cannulated
76.4mm Length


1/4" Square connect options with T handles




OM 13-0895 T23 Handle
1/4" Square Connect
Cannulated
104mm Length



OM 13-0760 T23 Handle
1/4" Square Connect
Ratcheting
104mm Length



OM 22-0460 T23 Handle
1/4" Square Connect
Ratcheting, Cannulated
104mm Length




OM 16-0075 T23 Handle
1/4" Square Connect
Impact cap
97mm Length



OM 10-0835 T23 Handle
1/4" Square Connect
Ratcheting
113.7mm Length




OM 10-0910 T23 Handle
1/4" Square connect
Ratcheting, Cannulated
113.7mm Length




OM 30-0960 T29 Handle
1/4" Square connect
Ratcheting, Cannulated
119.85mm Length


1/4" square connect with T23 Handle




OM 18-0810 T30 Handle
1/4" Square Connect
Impact Cap
100.3mm Length



OM 18-0805 T30 Handle
1/4" Square Connect
Impact Cap, Ratcheting
112.7mm Length




OM 37-0890 T23 Handle
1/4" Square Connect
Ratcheting, Low Profile Release
92.9mm Length




OM 37-0890 T23 Handle
1/4" Square Connect
Ratcheting, Low Profile Release
Cannulated
93mm Length

1/4" Square connect with T Handle and Torque limiting options




OM 12-0085 T23 Handle
1/4" Square Connect
Torque Limiting - 12Nm
140.5mm Length




OM 23-0430 T23 Handle
1/4" Square Connect
Torque Limiting - 12Nm
121.5mm Length

3 year warranty with no calibration required!




OM 29-0330 T23 Handle
1/4" Square Connect
Ratcheting
Torque Limiting - 8Nm



OM 19-0250 T23 Handle
1/4" Square Connect
Ratcheting
Torque Limiting - 2.5Nm


1/4" Square connect with T Handle and Torque limiting options



OM 33-0040 T28 Handle
1/4" Square Connect
Torque Limiting
102.7mm Length




OM 21-0110 T28 Handle
1/4" Square Connect
Cannulated
Torque Limiting
91mm Length




OM 31-0045 T28 Handle
1/4" Square Connect
Ratcheting, Cannulated
Torque Limiting
102.7mm Length



OM 35-0085 T28 Handle
1/4" Square Connect
Torque Limiting
Cannulated
102.7mm Length




OM 34-0670 T33 Handle
1/4" Square Connect
Torque Limiting - 10Nm
114.2mm Length



OM 37-0105 T33 Handle
1/4" Square Connect
Ratcheting
Torque Limiting - 8Nm
125.9mm Length

3 year warranty with no calibration required!


Hudson quick connect with “D” style Handle options



OM 12-0915 D23 Handle
Hudson Connect
161.6mm Length



OM 13-0015 D23 Handle
Hudson Connect
Ratcheting
179.5mm Length



OM 15-0170 D23 Handle
Hudson Connect
Ratcheting
182.2mm Length



OM 18-0250 D23 Handle
Hudson Connect
Ratcheting, Cannulated
181mm Length




OM 26-0320 D28 Handle
Hudson Connect
Ratcheting
207.2mm Length




OM 17-0135 D28 Handle
Hudson Connect
Ratcheting, Cannulated
193.5mm Length

Hudson quick connect with various handle options



OM 19-0195 E23 Handle
Hudson Connect
Cannulated
101.8mm Length



OM 12-0500 K40 Handle
Hudson Connect
119.7mm Length



OM 19-0015 K41 Handle
Hudson Connect
101.8mm Length




OM 19-0135 T19 Handle
Hudson Connect
85.5mm Length



OM 11-0275 T23 Handle
Hudson Connect
89mm length


Hudson quick connect with various handle and torque limit options



OM15-0915 T19 Handle
Hudson Connect
Torque Limiting - 4Nm
137.5mm Height



OM 13-0740 T23 Handle
Hudson Connect
Torque Limiting - 6Nm
137.5mm Height



OM 14-0410 T23 Handle
Hudson Connect
Torque Limiting - 10Nm
157.5mm Height

3 year warranty with no calibration required!




OM 24-0680 T28 Handle
Hudson Connect
Torque Limiting - 4Nm
126.1mm Height




OM 18-0490 T28 Handle
Hudson Connect
Torque Limiting - 10Nm
88.1mm Height


Mini Zimmer quick connect with various handle options




OM 31-0830 K41 Handle
Mini Zimmer Connect
Cannulated
118.8mm Height




OM 27-0775 K41 Handle
Mini Zimmer Connect
Cannulated
174mm Height



OM 27-0805 K41 Handle
Mini Zimmer Connect
Cannulated, Suture Holder
112.8mm Height




OM 28-0040 E23 Handle
Mini Zimmer Connect
Ratcheting, Cannulated
174mm Height




OM 31-0825 T23 Handle
Mini Zimmer Connect
Cannulated
88.4mm Height


Zimmer - Large AO - WA style quick connect options




**OM 17-0940 D28 Handle
Zimmer Connect
Ratcheting, Cannulated
197.5mm Length**




**OM 38-0570 Q29 Handle
Zimmer Connect
Ratcheting, Cannulated
168mm Length**



**OM 38-0570 Q29 Handle
Zimmer Connect
Ratcheting
172.35mm Length**




**OM 24-0970 D25 handle
Large AO Connect
Impact Cap
184.8mm Length**



**OM 23-0565 T23 Handle
WA Quick Connect
Cannulated
99.75mm Height**




**OM 13-0465 T23 Handle
Large AO Quick Connect
91.4mm Height**



**OM 33-0785 T23 Handle
WA Quick Connect
Cannulated
73.78mm Height**

Drill chuck options



OM 14-0335 T23 Handle
Jacobs Chuck 1-7mm Capacity
99.4mm Height



OM 15-0160 T23 Handle
Jacobs Chuck 1-7mm Capacity
Cannulated
102.4mm Height




OM 19-0625 T23 Handle
Speed Chuck 0.6-7.4mm Capacity
Cannulated
115.3mm Height



OM 15-0465 T23 Handle
Speed Chuck 0.2-3mm Capacity
Cannulated
110.4mm Height


Mallet / Slaphammer options




OM 12-0015 F26 Handle
Mallet with Metal-Metal Heads
214.5mm Length




OM 17-0360 D23 Handle
Mallet with PPSU-PPSU Heads
226mm Length



OM 11-0115 D23 Handle
Mallet with Metal-Metal Heads
221.5mm Length




OM 21-0910 D23 Handle
Mallet with Metal-Metal Heads
10.5mm Wide Slot
255mm Length



OM 20-0075 D23 Handle
Mallet with PPSU-Metal Heads
10mm Wide Slot
232mm Length



OM 17-0680 D23 Handle
Mallet with PPSU-PPSU Heads
9.5mm Wide Slot
223.5mm Length



OM 21-0850 E23 Handle
Mallet with PPSU-PPSU Heads
10mm Wide Slot
240mm Length

Box Ratchets and Rod Cutter options



OM 38-0260 D23 Handle
10mm Ratchet
226mm Length



OM 38-0290 D23 Handle
10mm ratchet
218.5mm Length



OM 46-0635 Hand-held Rod Cutter

27" (686mm) Length
Accepts rods $\varnothing$ 4.75mm to $\varnothing$ 6.35mm
Cuts both Ti and SS implant rods

*Not for in-situ use

OM 46-0628 Table-Top Rod Cutter

27" (686mm) Length
Accepts rods $\varnothing$ 4.75mm to $\varnothing$ 6.35mm
Cuts both Ti and SS implant rods

Added stability by using on table or work bench

*Not for in-situ use



NORTH GROVE ENTERPRISE

**PROVIDING QUALITY SILICONE HAND
INSTRUMENTATION WORLD-WIDE AT A
REASONABLE PRICE AND ON-TIME**



NORTH GROVE ENTERPRISE
(508) 801-4599 WWW.NORTHGROVEENTERPRISE.COM